


**1. Part Number:** 675 A45610012

**2. Photo:**



### 3. Product Information:

Description	Funnel 100mm top diameter, 12 mm spout diameter										
Use	Suitable for low viscosity liquids										
Material of Construction:	316L stainless steel										
Method of Construction:	Crevice free all welds ground and polished										
Surface Finish:	Better than 0.5 microns Ra										
Dimensions	<table border="0"> <tr> <td>A - Top Diameter</td> <td>100mm</td> </tr> <tr> <td>B - Diameter of Spout</td> <td>12.5mm</td> </tr> <tr> <td>C - Length of Spout</td> <td>40mm</td> </tr> <tr> <td>D - Overall Height</td> <td>118mm</td> </tr> <tr> <td>E - Wall Thickness</td> <td>1.5mm</td> </tr> </table>	A - Top Diameter	100mm	B - Diameter of Spout	12.5mm	C - Length of Spout	40mm	D - Overall Height	118mm	E - Wall Thickness	1.5mm
A - Top Diameter	100mm										
B - Diameter of Spout	12.5mm										
C - Length of Spout	40mm										
D - Overall Height	118mm										
E - Wall Thickness	1.5mm										
Internal Angle:	60°										
Nominal Weight:	160g										
BSE/TSE statement:	All polishing compounds used in the manufacture of this product are of vegetable origin										
Recommended Storage Conditions:	Dry and ambient temperature										
Note:	This product should be thoroughly cleaned before it is used for the first time										

### 4. Approval:

Signed:



Name: Kuldeep Flora

Position: Quality Manager

Date: 10-Nov-25